LODESTONE PACIFIC SHIELDED COIL FORMS

Phone (714) 970-0900

Fax (714) 970-0800



1) The iron powder or ferrite materials are used in a portion of the base, the tuning core and cup core. Mix 3F is a combination of a ferrite tuning core and an iron powder cup core.

2) This represents the frequency range for Q optimization in tuned or resonant circuits. The inductive properties of the material is effective over a considerably wider frequency range. 3) Nanohenries (10⁻⁹ Henries) per turn squared.

4) The minimum inductance is measured in microhenries (10⁻⁶ Henries) per 100 turns with the tuning core tuned out of the winding area but still a part of the assembly.

5) The temperature stability is of the magnetic material, measured in parts per million per degree Celsius (ppm/OC) on a toroidal core and winding. This is only an indication of the temperature stability for a complete wound assembly.



7) The tuning core is 8-40 shallow thread coated with Teflon.

9) The anti-vibration silicon rubber pad M106 is optional. It will be excluded from assemblies when the "P" is excluded from the assembly number. (ie: L45-2-CT-B-4)